

LEHMANN KG  
KRANICHSTRASSE 2A  
D-17235 NEUSTRELITZ

TEL +49 (0) 3981 48850  
EMAIL INFO@QLEEN.DE  
WEB WWW.QLEEN.DE

QLEEN 02 | 2018 - EN

# QLEEN

PURE WATER CLEANING SYSTEMS


## Catalogue

## Proven cleaning system for professionals – versatile, cost effective and safe.

For the past decade QLEEN systems have been used successfully all over the world. QLEEN's easy-connect system modules offer perfect solutions for cleaning glass, building façades, solar systems, vehicles and any number of applications. QLEEN systems are developed on the basis of extensive practical experience, and are manufactured with great precision, offering unbeatable quality and reliability.

### Better than clean: QLEEN.

Working with QLEEN is far more efficient than using traditional cleaning processes, because large areas can be cleaned in a significantly more productive and cost-effective manner. Use QLEEN for effortless, safe and reliable cleaning up to a working height of 21 meters, without leaving the ground. No more hire charges and assembly time for scaffolding or work platforms, saving you both time and money. Even delicate surfaces or inaccessible nooks and crannies can be cleaned in a convenient, thorough and careful manner. Thanks to their advanced and ergonomic components, working with QLEEN systems is always smooth and relaxed.



### Cleaning with the power of pure water.

All QLEEN systems use our tried and trusted PURAQLEEN water treatment technology, which removes all impurities from normal tap water, transforming it into potent, lime-free, „pure“ water. Because of its ability to combine directly with dirt particles on the surface to be cleaned, „pure“ water cleans rapidly and thoroughly, and runs off immediately. Surfaces cleaned with QLEEN dry themselves, with no stains or smears. Cleaning with „pure“ water is ecologically safe, because it can even be done without the use of cleaning additives.

## PURASTART Mini complete set



**PURASTART Mini \***. For occasional cleaning of small to medium-sized surfaces. For domestic water supply.

**Weight: 17,0 kg,**

**Delivery scope:** PURAQLEEN 12.5 l filter bottle with mixed-bed resin, bottle head with TDS meter and carrying handle, 12.5 m flexible hose, Telescopic HYBRIDPOLE 540 cm (4 segments, 4 hose clips), adapter for QLEEN brushes, cranked alu joint, angle brush for glazing (white, 27 cm)

Art.No.	Price
70044	650,00

## PURASTART complete set



**PURASTART \***. For occasional cleaning of small to medium-sized surfaces. For domestic water supply.

**Weight: 42,0 kg,**

**Delivery scope:** PURAQLEEN 25 l filter bottle with mixed-bed resin, bottle head with TDS meter and carrying handle caddy for mobile off-road use with 25 m flexible hose, Telescopic CARBONPOLE 900 cm (6 segments, 6 hose clips), handle, adapter for QLEEN brushes, Vario brush joint and window brush (white, 40 cm)

Art.No.	Price
70043	1650,00

## QLEEN DISY Electro complete set



**QLEEN DISY Elektro \***. For regular and professional cleaning of medium to large surfaces. Water supply via domestic water connection of self-priming by a pump.

**Weight: 78,0 kg,**

**Delivery scope:** PURAQLEEN 25 l filter bottle with mixed-bed resin, robust plastic body with pneumatic tyres, built-in EC meter, wireless remote control, 150 PSI pump, removeable hose reel with 40m duo hose Ø10mm, metering pump (24V), 5 CARBONPOLE 160 cm, 3 TITANPOLE 163 cm, 1 TITANPOLE 80 cm - all Ø42 mm with G4 bayonet connector, handle, adapter for QLEEN brushes, Vario brush joint and window brush (white, 40 cm)

Art.No.	Price
70040	6311,00

## QLEEN Profi I complete set



**QLEEN PROFII \***. For regular and professional cleaning of medium to large surfaces without connection to the electrical grid. Water supply via domestic water connection of self-priming by a pump.

**Weight: 131,0 kg,**


**Delivery scope:** PURAQLEEN 25 l filter bottle with mixed-bed resin, robust steel frame chassis with pneumatic tyres, built-in EC meter, wireless remote control, 150 PSI pump, maintenance-free high-performance battery and charger, 5 CARBONPOLE 160 cm, 3 TITANPOLE 163 cm, 1 TITANPOLE 80 cm - all Ø42 mm with G4 bayonet connector, handle, adapter for QLEEN brushes, Vario brush joint and window brush (white, 40 cm), 1 bag for poles and hood

Art.No.	Price
70042	8242,00


\* (Only available as complete set. No substitution of accessories.)

All prices (per piece in EUR) are quoted plus tax.


## QLEEN DISY

	<p>Base station. PURAQLEEN inside. Working height up to 15 metres <b>Weight: 55 kg,</b> <b>Dimensions: 66 x 66 x 110 cm (L x W x H)</b> <b>Delivery scope:</b> PURAQLEEN 25 l filter bottle with mixed-bed resin, robust plastic body with pneumatic tyres, built-in EC meter for input and output testing</p>	Art.No.	Price
		70038	2010,00


## Duo-hose (QLEEN DISY)

	<p>For cleaning tasks with cleaning chemicals. Very robust and reliable. Dual hose incl. injector. <b>Material: PUR, blue / black</b> <b>Delivery scope:</b> Dual hose, 10 mm diameter, length 40 m, incl. injector and installation accessories (only combined with 70038)</p>	Length / cm	Art.No.	Price
		4000	72639	480,00


## QLEEN DISY Electro

	<p>Base station. PURAQLEEN inside. Working height up to 21 meters 24 V ROTAQLEEN connection. <b>Weight: 60 kg,</b> <b>Dimensions: 66 x 66 x 110 cm (L x W x H)</b> <b>Delivery scope:</b> PURAQLEEN 25 l filter bottle with mixed-bed resin, robust plastic body with pneumatic tyres, built-in EC meter for input and output testing, wireless control, 150 PSI pump</p>	Art.No.	Price
		70039	3342,00


## Duo-hose (QLEEN DISY Electro)

	<p>For cleaning tasks with cleaning chemicals. Very robust and reliable. Dual hose incl. metering pump. <b>Material: PUR, blue / black</b> <b>Delivery scope:</b> Dual hose, 10 mm diameter, length 40 m, incl. metering pump and installation accessories (only combined with 70039)</p>	Length / cm	Art.No.	Price
		4000 cm	72640	658,00


## Monotube

	<p>For cleaning tasks without the use of cleaning agents. Very robust and reliable. <b>Material: PUR, blue</b> <b>Delivery scope:</b> Single hose, 10 mm diameter, length 40 m</p>	Length / cm	Art.No.	Price
		4000 cm	72646	138,00

## Hose bracket

	<p>For a fixed installation - non removable. With installation accessories. <b>Material: Steel plate, powder coated</b> <b>Delivery scope:</b> Hose bracket, dimensions (L x W x H): 29 x 13 x 13 cm</p>	Art.No.	Price
		72637	37,50

## Hose reel

	<p>Removable. With installation accessories. <b>Material: PC, fibreglass reinforced, stainless steel</b> <b>Delivery scope:</b> Hose reel, dimensions (L x W x H): 41 x 30 x 34 cm</p>	Art.No.	Price
		72638	314,00

All prices (per piece in EUR) are quoted plus tax.

## QLEEN PROF I



**Base station. PURAQLEEN inside.**

Working height up to 21 Meters.

24 V ROTAQLEEN connection, optical and acoustic water testing.

**Weight: 120 kg,**

**Dimensions: 112 x 54 x 112 cm (L x W x H)**

**Delivery scope:** PURAQLEEN 25 l filter bottle with mixed-bed resin, robust steel frame chassis with pneumatic tyres, built-in EC meter, wireless remote control, power pump, maintenance-free highperformance battery and charger

Art.No.	Price
70013	6208,00

## Supplementary bottle (QLEEN PROF I)



Efficient PURAQLEEN water conditioning. Filter and mixed-bed resin.

**Material: PE- Liner, fibreglass reinforced**

**Delivery scope:** 25 l filter bottle with mixed-bed resin, bottle bracket and installation accessories

Liter	Art.No.	Price
25	72642	445,00

## Power supply unit (QLEEN Profi I)



For connection to the electrical grid.

In the chassis version, the power supply unit can simply be mounted on the QLEEN PROF I

**Delivery scope:** Power supply unit incl. cable and connectors

Art.No.	Price
72575	258,00

## QLEEN PROF II



**Base station. PURAQLEEN inside.**

Working height up to 21 Meters.

24 V ROTAQLEEN connection, optical and acoustic water testing.

**Weight: 140 kg,**

**Dimensions: 115 x 73 x 109 cm (L x W x H)**

**Delivery scope:** PURAQLEEN 25 l filter bottle with mixed-bed resin, robust plastic body with pneumatic tyres, built-in EC meter, wireless remote control, power pump, maintenance-free high-performance battery and charger, 230V mains connector

Art.No.	Price
70037	7720,00

## Supplementary bottle (QLEEN PROF II)



Efficient PURAQLEEN water conditioning. Filter and mixed-bed resin.

**Material: PE- Liner, fibreglass reinforced**

**Delivery scope:** 25 l filter bottle with mixed-bed resin and installation accessories

Litres	Art.No.	Price
25	72641	385,00

## RESIN (granulate)




**Resin (granulate)** for water purification 25 l or 12,5 l


**Delivery scope:** 25 l or 12,5 l Resin

Litres	Art.No.	Price
25 l	72502	151,50
12,5 l	72503	77,25


### QLEEN AUTARK 400 (Car installation system)

	<p><b>Work station (single/double) PURAQLEEN inside.</b> Working height up to 21 metres 24 V ROTAQLEEN connection, optical and acoustic water testing. Double = 2 workstations <b>Kerb weight: 275 kg / 360 kg (2),</b> <b>Dimensions: 163 x 120 x 106 cm (L x W x H)</b> Delivery scope: Stainless steel tank 400 l, 150 PSI pump*, operating panel*, 2 PURAQLEEN 25 l filter bottles with mixed-bed resin, hose reel with 50 m dual hose *, built-in EC meter*, wireless remotecontrol*, maintenance-free high-performance battery* and charger 230 V / 24 V*, metering pump * Double workstation = components twice</p>		<b>Art.No.</b>	<b>Price</b>
		single	<b>70035</b>	8.315,00
		double	<b>70036</b>	11.880,00


### QLEEN AUTARK

	<p><b>Trailer (single axle) for Autark 600</b> <b>Trailer (twin axles) for Autark 1000</b> Meets statutory requirements for use with trailer loads of up to 2,000 kg, overrun braking. Simple and safe manoeuvring. <b>Delivery scope:</b> Trailer (single axle or twin axle) with lighting, indicators, brake system, standard EU coupling, support wheel and handbrake  (price for trailer is net)</p>		<b>Art.No.</b>	<b>Price</b>
		1-axle	<b>70033</b>	5397,00
		2-axle	<b>70034</b>	5940,00

### QLEEN AUTARK 600 (Trailer installation system)

	<p><b>Work station. PURAQLEEN inside.</b> Working height up to 21 meters 24 V ROTAQLEEN connection. Double = 2 workstations <b>Kerb weight: 290 kg / 375 kg</b> <b>Dimensions: 163 x 120 x 106 cm (L x W x H)</b> Delivery scope: Stainless steel tank 600 l, 150 PSI pump*, operating panel*, 2 PURAQLEEN 25 l filter bottles with mixed-bed resin, hose reel with 50 m dual hose *, built-in EC meter*, wireless remote control*, maintenance-free high-performance battery* and charger 230 V / 24 V*, metering pump * Double workstation = components twice</p>		<b>Art.No.</b>	<b>Price</b>
		single	<b>70029</b>	8.542,00
		double	<b>70031</b>	12.388,00

### QLEEN AUTARK 1000 (Trailer installation system)

	<p><b>Work station (single/double) PURAQLEEN inside.</b> Working height up to 21 metres 24 V ROTAQLEEN connection, optical and acoustic water testing. Double = 2 workstations <b>Kerb weight: 330 kg / 415 kg</b> <b>Dimensions: 163 x 120 x 106 cm (L x B x H)</b> Delivery scope: Stainless steel tank 1000 l, 150 PSI pump*, operating panel*, 2 PURAQLEEN 25 l filter bottles with mixed-bed resin, hose reel with 50 m dual hose *, built-in EC meter*, wireless remote control*, maintenance-free high-performance battery* and charger 230 V / 24 V*, metering pump * Double workstation = components twice</p>		<b>Art.No.</b>	<b>Price</b>
		single	<b>70030</b>	8.950,00
		double	<b>70032</b>	13.348,00

## PURASTART Mini



Base station. PURAQLEEN inside.  
Working height up to 9 metres.  
**Weight: 15 kg,**  
**Dimensions: 21 x 21 x 55 cm (L x W x H)**  
**Delivery scope:** PURAQLEEN 12.5 l filter bottle with mixed-bed resin, TDS meter (built in), carrying handle

Art.No.	Price
17041	330,00

## Hosepipe set ( PURASTART Mini)



For cleaning tasks using the PURASTART Mini. Very robust and reliable.  
With adapter for pivot joint or brush on QLEEN telescopic poles as well as clips for fitting the hose.  
**Material: PVC with woven fabric inlay**  
**Delivery scope:** Single hose, 9 mm diameter, length 12.5 m, adapter,

Length / cm	Art.No.	Price
1250	72643	49,50

## Aluminium pivot joint (PURASTART/ PURASTART Mini)



For use of angle brush (page 10) together with telescopic HYBRIDPOLE and telescopic CARBONPOLE (page 8). Robust, ideal for tasks in areas with difficult access.  
Angle can be adjusted as required.  
**Material: Aluminium**  
**Delivery scope:** Aluminium pivot joint

Art.No.	Price
72649	32,50

## Adapter QLEEN to LEWI



Adapter to connect products from LEWI range to QLEEN poles.  
**Material: Aluminium**  
**Delivery scope:** adapter

Art.No.	Price
92502	17,50


## PURASTART




Base station. PURAQLEEN inside.  
Working height up to 15 metres  
**Weight: 35 kg,**  
**Dimensions: 38 x 38 x 110 cm (L x W x H)**  
**Delivery scope:** PURAQLEEN 25 l filter bottle with mixed-bed resin and carrying handle, caddy for mobile off-road use, Monotube (25 m) incl. bracket, TDS meter (built in)

Art.No.	Price
17042	950,00


## Telescopic HYBRIDPOLE

	<b>Telescopic pole with 4 segments</b> Lightweight and safe - ideal for long working hours. <b>Material: Fibreglass, carbon</b> <b>Weight: 1,2 kg, Length when retracted: 158 cm</b> <b>Delivery scope:</b> Telescopic pole, 4 segments (Ø 30/27/24/21 mm), 4 hose clips, adapter for QLEEN brushes	Length / cm	Art.No.	Price
		540	70534	214,00


## Telescopic CARBONPOLE

	<b>Telescopic pole with 5 segments.</b> Ideal for lengthy cleaning tasks, can be combined with QLEEN brushes (27/40/60 cm) and pads. <b>Material: Carbon</b> <b>Weight: 1,3 kg / 1,4 kg,</b> <b>Length when retracted: 158 cm / 181 cm</b> <b>Delivery scope:</b> Telescopic pole, 5 segments (Ø 33/30/27/24/21 mm), 5 hose clips, adapter for QLEEN brushes	Length / cm	Art.No.	Price
		654 cm	70535	543,00
		766 cm	70536	622,00


## Telescopic CARBONPOLE

	<b>Telescopic pole with 6 segments</b> Ideal for lengthy cleaning tasks, can be combined with QLEEN brushes (27/40/60 cm) and pads as well as ROTAQLEEN CLASSIC. Extentable with carbonpoles. <b>Material: Carbon</b> <b>Weight: 2,7 kg, Length when retracted: 204 cm</b> <b>Delivery scope:</b> Telescopic pole, 6 segments (Ø 42/38/34/30/26/22 mm), 6 hose clips, adapter for QLEEN brushes, bayonet connector (G4) for extension with QLEEN TITANPOLE or CARBONPOLE	Length / cm	Art.No.	Price
		900	70518	795,00


## CARBONPOLE

	<b>Pole element with force transmission.</b> All-rounder - quick and easy combination with other QLEEN Poles, QLEEN brushes (27/40/60 cm), pad as well as ROTAQLEEN CLASSIC, VARIO and VARIO Light. <b>Material: Carbon</b> <b>Weight: 0.59 kg</b> <b>Delivery scope:</b> Pole element, 42 mm diameter, with G4 bayonet connector	Length / cm	Art.No.	Price
		160	70500	298,00

## TITANPOLE

	<b>Pole element with force transmission.</b> All-rounder - quick and easy combination with other QLEEN Poles, QLEEN brushes (27/40/60 cm), pad as well as ROTAQLEEN CLASSIC, VARIO and VARIO Light. <b>Material: Aluminium alloy</b> <b>Weight: 0,85 / 0.47 kg</b> <b>Delivery scope:</b> Pole element, 42 mm diameter, with G4 bayonet connector	Length / cm	Art.No.	Price
		163 cm	70501	135,00
		80 cm	70502	86,00


## Trolley + Bag

	<b>For safe storage and transport.</b> - Trolley for 12 QLEEN Poles - Bag for 14 QLEEN Poles + 1/2 Pole <b>Weight: 7,75 kg/ 0,75 kg</b> <b>Delivery scope:</b> Trolley and bag for poles ( without poles)	Art.No.	Price	
		trolley	72548	154,00
		bag	72508	46,00


All prices (per piece in EUR) are quoted plus tax.




## Window brush

	<p>For streak-free glass cleaning.</p> <p><b>Material: PE, polyester, white</b></p> <p><b>Delivery scope:</b> Window brush, bristle thickness 0.3 mm, bristle length 40 mm</p>	Length / cm	Art.No.	Price
		27 cm	71000	28,00
		40 cm	71001	40,00
		60 cm	71002	52,00


## Facade brush

	<p>For thorough façade cleansing.</p> <p><b>Material: PE, nylon, blue</b></p> <p><b>Delivery scope:</b> Façade brush, bristle thickness 0.5 mm, bristle length 40 mm</p>	Length / cm	Art.No.	Price
		27 cm	71003	28,00
		40 cm	71004	40,00
		60 cm	71005	52,00


## Solar panel brush

	<p>For the perfect cleaning of solar panels.</p> <p><b>Material: PE, PBT, red</b></p> <p><b>Delivery scope:</b> Solar panel brush, bristle thickness 0.4 mm, bristle length 40 mm, fanned.</p>	Length / cm	Art.No.	Price
		27 cm	71006	28,00
		40 cm	71007	40,00
		60 cm	71008	52,00


## Special livestock farming brush

	<p>For the removal of serious soiling.</p> <p><b>Material: PE, PBT, black</b></p> <p><b>Delivery scope:</b> Special brush, bristle thickness 0.4 mm, bristle length 40 mm</p>	Length / cm	Art.No.	Price
		27 cm	71009	28,00
		40 cm	71010	40,00
		60 cm	71011	52,00

## Windowsill and window frame brush (Glass)


	<p>For cleaning corners, nooks and crannies, edges and slanted surfaces.</p> <p><b>Material: PE, polyester, white</b></p> <p><b>Delivery scope:</b> Special brush, two-part, bristle thickness 0.3 mm, bristle length 20 to 50 mm</p>	Length / cm	Art.No.	Price
		35 cm	71014	94,00

## Windowsill and window frame brush (Facade)


	<p>For cleaning corners, nooks and crannies, edges and slanted surfaces.</p> <p><b>Material: PE, nylon, blue</b></p> <p><b>Delivery scope:</b> Special brush, two-part, bristle thickness 0.4 mm, bristle length 20 to 50 mm.</p>	Length / cm	Art.No.	Price
		35 cm	71015	94,00

All prices (per piece in EUR) are quoted plus tax.


## Angle brush for windows

	<p>For easy and thorough window cleansing from various application angles. Compatible to telescopic HYBRIDPOLE and telescopic CARBONPOLE in connection with adapter QLEEN to LEWI or aluminium pivot joint (page 7). Bristle thickness 0.25 mm, bristle length 40 mm.</p> <p><b>Material: PE, PBT, white</b></p> <p><b>Delivery scope:</b> Angle brush, bristle thickness 0.25 mm, bristle length 40 mm, incl. jets and hose connector</p>	Length / cm	Art.No.	Price
		27 cm	71041	45,00


## Solar panel slide shoe

	<p>Designed specifically for solar panel cleansing. Protects sensitive module surfaces during cleansing tasks. Velcro fasteners guarantee a secure connection to the QLEEN poles.</p> <p><b>Material: PE, PBT, red</b></p> <p><b>Delivery scope:</b> Special slide shoe, bristle thickness 0.4 mm, bristle length 30 mm.</p>	Ø	Art.No.	Price
		50 mm	72039	39,00
		42 mm	72040	39,00


## Brush joint adapter

	<p>For QLEEN poles with G4 bayonet connector. Ensures a firm and secure connection between QLEEN brush joints and QLEEN poles.</p> <p><b>Material: Anodised aluminium</b></p> <p><b>Delivery scope:</b> Adapter to fit QLEEN poles (Ø 42 and 50 mm) with G4 bayonet connector</p>		Art.No.	Price
			72516	26,00

## Vario brush joints

	<p>Compatible with brushes from the QLEEN range. All-purpose and robust. Perfect for cleaning areas that are difficult to reach. Brush can be rotated through 90°, pivot joint can be set at 30/60/90°.</p> <p><b>Material: Aluminium</b></p> <p><b>Delivery scope:</b> Brush joint with 5 power jets and Vario pivot joint</p>		Art.No.	Price
			71037	175,00

## Special brush joint

	<p>Compatible with brushes from the QLEEN range. Perfectly designed for the efficient cleansing of bus stops and canopies. Brush can be rotated through 90°, pivot joint can be set at 30/60/90°.</p> <p><b>Material: Aluminium</b></p> <p><b>Delivery scope:</b> Brush joint with 5 power jets and 2 aluminium pivot joint</p>	Length / cm	Art.No.	Price
		160 cm	71039	260,00
		60 cm	71040	250,00

## Pad holder

**Rigid and reliable.**

All-purpose and robust. Perfect for cleaning areas that are difficult to reach. Brush can be rotated through 90°, pivot joint can be set at 30/60/90°. Compatible with brushes from the QLEEN range.

**Material: Aluminium**

**Delivery scope:** Pad holder with 3 power jets and aluminium pivot joint

Pad	Art.No.	Price
41 cm	71027	165,00

## Spare pad holder

**Rigid and reliable.**

For pads for microfibre covers.

**Material: Aluminium, plastic**

**Delivery scope:** Pad holder (L x W): 41 x 8 cm

Length / cm	Art.No.	Price
41 cm	71030	56,00

## Spare cover

**Fits QLEEN pad holder.**

Perfect cleaning power. High water absorption. Easy to clean.

**Material: Micro fibres**

**Delivery scope:** Spare cover for pad holder (L x W): 45 x 12 cm, with Velcro fastener

Length / cm	Art.No.	Price
45 cm	71031	11,55

## Handle



Handle for CARBON or TITANPOLE thread G4 and Telescopic pole with 6 segments (Art. No.: 70518)

**Weight: 0,12 kg**

**Material: Aluminium**

**Delivery scope:** handle thread G4 and Wing Screw

Length / cm	Art.No.	Price
15	72571	38,70

## ROTAQLEEN Classic (Glass)



The classic rotating brush for thorough glass cleaning. Brush width: 40 or 60 cm. Drive via two high-performance motors in the brush head. Ideal for cleaning corners, nooks and crannies and window frames.

**Weight:** 2,2 kg or 2,8 kg, **Motor (24 V, 180 rpm)**

**Delivery scope:** sturdy brush joints with 3 power jets, brush heads (white, left and right) with built-in motor, power cable (50 m), spacer discs (shims), connectors

Width / cm	Art.No.	Price
40 cm	72000	971,00
60 cm	72001	1.081,00

## ROTAQLEEN Classic (Facade)



The classic rotating brush for thorough facade cleaning.

Brush width: 40 or 60 cm. Drive via two high-performance motors in the brush head. Ideal for cleaning corners, nooks and crannies and façade niches.

**Weight:** 2,2 kg or 2,8 kg, **Motor (24 V, 180 rpm)**

**Delivery scope:** sturdy brush joints with 3 power jets, brush heads (blue, left and right) with built-in motor, power cable (50 m), spacer discs (shims), connectors

Width / cm	Art.No.	Price
40 cm	72002	971,00
60 cm	72003	1.081,00

## ROTAQLEEN Classic (Solar)



The classic rotating brush for thorough solar panel cleaning.

Brush width: 40 or 60 cm. Drive via two high-performance motors in the brush head. Ideal for solar panel cleaning

**Weight:** 2,2 kg or 2,8 kg, **Motor (24 V, 180 rpm)**

**Delivery scope:** sturdy brush joints with 3 power jets, brush heads (red, left and right) with built-in motor, power cable (50 m), spacer discs (shims), connectors

Width / cm	Art.No.	Price
40 cm	72004	971,00
60 cm	72005	1.081,00

## ROTAQLEEN Classic replacement brushes set (Glass)



For professional glass cleaning.

The high-quality ROTAQLEEN brushes are durable and extremely hard wearing.

**Material:** PE, PBT, white

**Delivery scope:** Brush heads and base frames (right and left), brush thickness 0.3 mm, brush length 30 mm (glass cleansing)

Width / cm	Art.No.	Price
40 cm	72006	108,00
60 cm	72012	216,00

## ROTAQLEEN Classic replacement brushes set (Facade)



For professional facade cleaning.


These high-quality ROTAQLEEN brushes effortlessly remove dirt from even the smallest spaces.

**Material:** PE, PBT, blue

**Delivery scope:** Brush heads and base frames (right and left), brush thickness 0.5 mm, brush length 30 mm (façade cleansing)

Width / cm	Art.No.	Price
40 cm	72008	108,00
60 cm	72014	216,00

## ROTAQLEEN Classic replacement brushes set (Solar)



For professional solar panel cleaning.


These special red bristles clean sensitive surfaces carefully and reliably.

**Material:** PE, PBT, red


**Delivery scope:** Brush heads and base frames (right and left), brush thickness 0.4 mm, brush length 30 mm (solar panel cleansing)

Width / cm	Art.No.	Price
40 cm	72010	108,00
60 cm	72016	216,00


## External power supply

	<b>Portable power connector for ROTAQLEEN</b> Makes it possible to use ROTAQLEEN, even when a given QLEEN station has no built-in electrical power system, or when third-party systems are used. <b>Delivery scope:</b> Mains connector and remote control (flow and return by radio only with 230 V / 24 V). Power supply at 230 V / 24 V or 12 V / 24 V		<b>Art.No.</b>	<b>Price</b>
		230 V / 24V	<b>72078</b>	735,00
		12 V / 24V	<b>72032</b>	595,00


## ROTAQLEEN Vario (Glass)

	<b>Rotating cleaning power for large horizontal areas of glazing.</b> Precision guidance and control system via special patented joint. Brush width: 50 or 75 cm (optional conversion set). Best for: glazed roofing, glass domes, moveable glass structures, mixed aluminium-glass structures. <b>Weight: 6,2 / 7,0 kg, Motor (24 V, 195 rpm)</b> <b>Delivery scope:</b> Base frame with motor (externally mounted, cooled and enclosed), precision joint, universal brush frame, spray guard, 2 front and 2 rear power jets, cable reel with electric power cable (50 m), connections for QLEEN stations or external power supplies	<b>Width / cm</b>	<b>Art.No.</b>	<b>Price</b>
		50 cm	<b>72021</b>	2.232,00
		75 cm	<b>72019</b>	2.295,00


## ROTAQLEEN Vario (Solar)

	<b>Rotating cleaning power for large horizontal areas of solar panelling</b> Precision guidance and control system via special patented joint. Brush width: 50 or 75 cm (optional conversion set). Main solar energy applications: roof-mounted systems, elevated solar systems. <b>Weight: 6,2 / 7,0 kg, Motor (24 V, 195 rpm)</b> <b>Delivery scope:</b> Base frame with motor (externally mounted, cooled and enclosed), precision joint, universal brush frame, spray guard, 2 front and 2 rear power jets, cable reel with electric power cable (50 m), connections for QLEEN stations or external power supplies	<b>Width / cm</b>	<b>Art.No.</b>	<b>Price</b>
		50 cm	<b>72020</b>	2.232,00
		75 cm	<b>72018</b>	2.295,00

## ROTAQLEEN Vario Light (Glass)

	<b>Perfect for lengthy glass-cleaning tasks.</b> Low kerb weight . Precision guidance and control via special patented joint. Brush width 50 cm. <b>Weight: 4,5 kg, Motor (24 V, 195 rpm)</b> <b>Delivery scope:</b> Base frame with motor (externally mounted, cooled and enclosed), precision joint, universal brush frame, spray guard, 2 front and 2 rear power jets, cable reel with electric power cable (50 m), connections for QLEEN stations or external power supplies	<b>Width / cm</b>	<b>Art.No.</b>	<b>Price</b>
		50 cm	<b>72073</b>	2.190,00

## ROTAQLEEN Vario Light (Façade)

	<b>Perfect for lengthy façade-cleaning tasks.</b> Low kerb weight . Precision guidance and control via special patented joint. Brush width 50 cm. <b>Weight: 4.5 kg, Motor (24 V, 195 rpm)</b> <b>Delivery scope:</b> Base frame with motor (externally mounted, cooled and enclosed), precision joint, universal brush frame, spray guard, 2 front and 2 rear power jets, cable reel with electric power cable (50 m), connections for QLEEN stations or external power supplies	<b>Width / cm</b>	<b>Art.No.</b>	<b>Price</b>
		50 cm	<b>72074</b>	2.190,00

## ROTAQLEEN Vario Light (Solar)

**Perfect for lengthy solar panel cleaning tasks.**

Low kerb weight. Precision guidance and control via special patented joint. Brush width: 50 cm.

**Weight: 4.5 kg, Motor (24 V, 195 rpm)**

**Delivery scope:** Base frame with motor (externally mounted, cooled and enclosed), precision joint, universal brush frame, spray guard, 2 front and 2 rear power jets, cable reel with electric power cable (50 m), connections for QLEEN stations or external power supplies

Width / cm	Art.No.	Price
50 cm	72074	2.190,00

## ROTAQLEEN Vario conversion set

**Spray guard, connectors, solar panel brushes.**

Quick and easy to configure for the required deployment range. 50 cm or 75 cm - to guarantee the optimum solution at all times.

**Weight: 2,0 kg oder 2,8 kg**

**Delivery scope:** Complete conversion set (spray guard, connectors, solar panel brushes in red)

Width / cm	Art.No.	Price
50 to 75	72027	280,00
75 to 50	72028	210,00

## ROTAQLEEN Vario splash guard

**Tin-plate spray guard.**

Quick and easy to replace.

**Weight: 0,5 kg oder 0,6 kg**

**Delivery scope:** Tin-plate spray guard incl. connectors

Width / cm	Art.No.	Price
50 cm	72029	124,00
75 cm	72030	150,00

## ROTAQLEEN Vario replacement brushes

**For professional glass cleaning.**

The high-quality ROTAQLEEN brushes are durable and extremely hard wearing.

**Material: PE, PBT, white**

**Delivery scope:** Replacement brushes, bristle thickness 0.3 mm, bristle length 30 mm (glass cleaning)

Width / cm	Art.No.	Price
50 cm	72025	132,50
75 cm	72023	195,00

## ROTAQLEEN Vario replacement brushes

**For professional solar panel cleaning.**

These special red bristles clean sensitive surfaces carefully and reliably.

**Material: PE, PBT, red**

**Delivery scope:** Replacement brushes, bristle thickness 0.4 mm, bristle length 30 mm (solar panel cleaning)

Width / cm	Art.No.	Price
50 cm	72024	132,50
75 cm	72022	195,00

## ROTAQLEEN Vario replacement brushes

**For professional facade cleaning.**

These high-quality ROTAQLEEN brushes effortlessly remove dirt from even the smallest spaces.

**Material: PE, PBT, blue**

**Delivery scope:** Replacement brushes, bristle thickness 0.5 mm, bristle length 30 mm (façade cleaning)

Width / cm	Art.No.	Price
50 cm	72026	132,50

## ROTAQLEEN Adapter

**Adapter for third-party systems (Ø 26 mm)**

Enjoy the benefits of ROTAQLEEN's cleaning potential whilst increasing the performance of existing third-party systems to 250 square meters per hour.

**Material: Aluminium**

**Delivery scope:** QLEEN adapter for third-party systems, suitable for use with third-party pole systems (Ø 26mm / Unger)

Art.No.	Price
72587	65,00

## Complete set




Perfect choice for lamella spacings of 50 to 100 mm. Versatile complete set in a practical storage box with lid.

**Material: Aluminium. Polyester, black**

**Delivery scope:** Brush joints with 4 power jets, Vario joint and 4 brush holders (brush diameters 55, 65, 75, 85 mm), including Gardena connection, adapter for claw coupling and adapter for Unger hoses

	Art.No.	Price
Set	71500	687,00

## Brush holder and brushes



Perfect choice for lamella spacings of 80 mm.

Easy to operate. Up to 50 percent quicker than traditional manual cleaning processes.

**Material: Aluminium. Polyester, black**

**Delivery scope:** Holder or replacement brushes, brush diameter 85 mm, 5 brushes per brush holder

	Art.No.	Price
Support	71503	123,00
Spare Brush	71504	13,00

## Brush holder and brushes



Perfect choice for lamella spacings of 70 mm.


Easy to operate. Up to 50 percent quicker than traditional manual cleaning processes.

**Material: Aluminium. Polyester, black**

**Delivery scope:** Holder or replacement brushes, brush diameter 75 mm, 6 brushes per brush holder

	Art.No.	Price
Support	71505	129,00
Spare Brush.	71506	13,00

## Brush holder and brushes



Perfect choice for lamella spacings of 60 mm.


Easy to operate. Up to 50 percent quicker than traditional manual cleaning processes.

**Material: Aluminium. Polyester, black**

**Delivery scope:** Holder or replacement brushes, brush diameter 65 mm, 6 brushes per brush holder

	Art.No.	Price
Support	71507	129,00
Spare Brush	71508	13,00

## Brush holder and brushes



Perfect choice for lamella spacings of 50 or 100 mm.

Easy to operate. Up to 50 percent quicker than traditional manual cleaning processes.

**Material: Aluminium. Polyester, black**

**Delivery scope:** Holder or replacement brushes, brush diameter 55 mm, 8 brushes per brush holder

	Art.No.	Price
Support	71509	162,00
Spare Brush	71510	13,00

## Handle for slat-brush-holder



Handle with Alu-crank and nozzles for slat-brush holder.

Pivot joint can be set at 30/60/90°.

**Material: Aluminium, PU, black**

**Delivery scope:** handle with Alu-crank, nozzles and shutoff valve

	Art.No.	Price
	71502	233,50

QLEEN 02 | 2018 - EN

TEL +49 (0) 3981 48850  
EMAIL INFO@QLEEN.DE  
WEB WWW.QLEEN.DE

LEHMANN KG  
KRANICHSTRASSE 2A  
D-17235 NEUSTRELITZ

# QLEEN

PURE WATER CLEANING SYSTEMS

All information supplied without guarantee.  
Subject to alterations.

[WWW.QLEEN.DE](http://WWW.QLEEN.DE)